

Wiki Kurzeinführung

Formatierungen

Bartels und Stöckler (Hrsg). Wissenschaftstheorie. Paderborn: Mentis Verlag, ¹2007, ²2009.

```
Bartels und Stöckler (Hrsg). Wissenschaftstheorie. Paderborn: Mentis Verlag,
<sup>1</sup>2007, <sup>2</sup>2009.
```

You can use _{subscript} and ^{superscript}, too.

```
You can use <sub>subscript</sub> and <sup>superscript</sup>, too.
```

No Formatting

If you need to display text exactly like it is typed (without any formatting), enclose the area either with `<nowiki>` tags or even simpler, with double percent signs `%%`.

This is some text which contains addresses like this: `http://www.splitbrain.org` and `**formatting**`, but nothing is done with it. The same is true for `//__this__ text//` with a smiley ;-).

```
<nowiki>
This is some text which contains addresses like this:
http://www.splitbrain.org and **formatting**, but nothing is done with it.
</nowiki>
The same is true for %%//__this__ text// with a smiley ;-)%%.
```

Zitate - Quotes

“Ich stelle oft fest, dass ich nur etwas zitiere, was ich vor längerer Zeit gelesen habe, und das wird dann zu einer Wiederentdeckung. Vielleicht sollte ein Dichter besser namenlos sein.” (S. 17 unten)

```
>"Ich stelle oft fest, dass ich nur etwas zitiere, was ich vor längerer Zeit
gelesen habe, und das wird dann zu einer Wiederentdeckung. Vielleicht sollte
ein Dichter besser namenlos sein." (S. 17 unten) \\  

```

Tabellen - Tables

You can have rowspans (vertically connected cells) by adding `:::` into the cells below the one to which they should connect.

Heading 1	Heading 2	Heading 3
Row 1 Col 1		Row 1 Col 3
Row 2 Col 1	this cell spans vertically	Row 2 Col 3
Row 3 Col 1		Row 2 Col 3

Apart from the rowspan syntax those cells should not contain anything else.

```
^ Heading 1      ^ Heading 2                ^ Heading 3      ^
| Row 1 Col 1    | this cell spans vertically | Row 1 Col 3    |
| Row 2 Col 1    | :::                       | Row 2 Col 3    |
| Row 3 Col 1    | :::                       | Row 2 Col 3    |
```

You can align the table contents, too. Just add at least two whitespaces at the opposite end of your text: Add two spaces on the left to align right, two spaces on the right to align left and two spaces at least at both ends for centered text.

Table with alignment		
right	center	left
left	right	center
xxxxxxxxxxxxxx	xxxxxxxxxxxxxx	xxxxxxxxxxxxxx


This is how it looks in the source:

```
^          Table with alignment          ^^^
|          right|          center  |left  |
|left          |          right|  center  |
| xxxxxxxxxxxxxx | xxxxxxxxxxxxxx | xxxxxxxxxxxxxx |
```

Note: Vertical alignment is not supported.

Links

- **simple link to a page:** `{{name of the wiki page|optional text for the link}}`
- **link to a section within the same page:** `{{#name of the section|optional text for the link}}`
- **link to a section of a different wiki page:** `{{name of the wiki page#name of the section|optional text for the link}}`
- **link to the www:** `{{url|optional text for the link}}`

 use the button with the chain and the globe to select and insert a link using a helpful dialog.

Tag

```
{{tag>[list of tags]}}
```

[list of tags]	a space separated list of tags that describe the content of the current page	required
-----------------------	--	----------

Examples:

- `{{tag>tag1 tag2 tag3}}`
- with namespaces: `{{tag>ns1:tag1 ns1:tag2 ns2:subns1:tag3}}`

Topic

```
{{topic>[tag]&[flags]}}
```

[tag]	the category tag for which you want a list of pages	required
[flags]	pagelist flags delimited by &, see flags	optional

Example:

- `{{topic>tag1 -tag2}}` - Lists all pages tagged with tag1 but not with tag2.
- `{{topic>tag1 +tag2}}` - Lists all pages tagged with tag1 and tag2.
- `{{topic>tag1 tag2}}` - Lists all pages tagged with either tag1 or tag2 or both.
- `{{topic>ns1?tag1 tag2}}` - List all pages inside namespace ns1 tagged with either tag1 or tag2
- `{{topic>.?tag1 tag2}}` - List all pages inside the current namespace tagged with either tag1 or tag2
- `{{topic>tag1 tag2 tag3&nodate&desc&sort}}` (Adding [pagelist](#) options to change the design)

Count

```
{{count>[tag]}}
```

[tag]	the category tag for which you want the list the occurrence	required
--------------	---	----------

Example:

- `{{count>+}}` - List all tags with related occurrences.
- `{{count>tag1 tag2}}` - List the occurrence of tag1 and tag2.
- `{{count>tag1 tag2 tag3&. ns1 ns2}}` - List all occurrences for the given tags inside the namespaces (the dot specifies the root namespace)

Stichwörter

```
{{keywords>art in the park,Sheffield,urban,street,creative}}
```

Ändern einer Seite

Einfach "Bearbeiten/Seite bearbeiten" oder so ähnlich im Menü verwenden oder - je nach Wiki - auf der rechten Seite den Bearbeiten Schalter anklicken. Was immer geht: **Shift+Alt+e** (manchmal auch

Strg+Alt+e, kommt auf den Browser an) Die geänderte Seite wird gespeichert durch **Strg+Alt+s**, oder den Speichern Schalter.

Anlegen einer neuen Seite

1. Um eine neue Seite anzulegen, wird zunächst in einer bestehenden Seite ein Verweis darauf angelegt mit `[[Name der neuen Seite]]`. Diese Seite speichern.
2. Dann auf den neuen Link klicken. Auf der Zielseite, die als nicht existent angegeben wird, einfach wie üblich Seite editieren (siehe oben) wählen.

Nützliches für den Editiermodus

- **Keine Umbrüche verwenden:** Möglichst keine Umbrüche mit Enter erzeugen. Die Wiki soll das selbst regeln. Nur wenn wirklich ein Umbruch explizit gewünscht ist, kann er mit zwei Mal Enter forciert werden.
Zwei Backslashes eingeleitet und gefolgt von einem Leerzeichen haben ebenfalls einen Umbruch zur Folge.
- **** Text **** : Text innerhalb eines Paares doppelter Sternchen wird fett formatiert
- Zwei Leerzeichen und ein * erzeugen einen unnummerierten Listenpunkt
- Zwei Leerzeichen und ein - erzeugen einen nummerierten Listenpunkt
- **%% Text %%** : Alles innerhalb eines Paares doppelter Prozentzeichen wird von der Wiki nicht interpretiert. `%%[[Test]]%%` ergibt in der Ausgabe `[[Test]]`. Das gleiche kann man mit `<nowiki>` und `</nowiki>` erreichen.
- Überschriften lassen sich am Besten mit den Schaltern erzeugen
- **Links zu einer anderen Wiki-Seite** Auch dafür eignet sich ein Schalter am Besten: Die Kettenglieder ohne Weltkugel
- **Links ins WWW*** Dazu eignet sich der Schalter mit den Kettengliedern und der Weltkugel

Code

Syntax Highlighting

DokuWiki can highlight sourcecode, which makes it easier to read. It uses the GeSHi Generic Syntax Highlighter – so any language supported by GeSHi is supported. The syntax uses the same code and file blocks described in the previous section, but this time the name of the language syntax to be highlighted is included inside the tag, e.g. `<code java>` or `<file java>`.

folding

```
++++ Title |  
  
| This table | is only shown | when you unfold the block |
```

```
{{page>some other wiki page&inline}}
```

```
++++
```

From:

<https://wiki.arch-kiosk.brown.edu/urapdev/> - **Kiosk Archaeological Recording and Data Management Platform**

Permanent link:

https://wiki.arch-kiosk.brown.edu/urapdev/doku.php?id=wiki_kurzeinfuehrung&rev=1581878136

Last update: **16 Feb 2020 13:35**